Page 1 of 1

ORM PTO-1 NFORMATIO	M Disclosure S	APPLICAN Jodi Marie	IT MAGLICH et al.	10/506,647		
			FILING DA	3, 2004	GROUP 1646	_
	<del></del>	U.S. P.	TENT DOCUMENTS			
Examiner Initials	Patent Number	Issue Date	Name	Class	Subclass	Filing Date If Appropriate
						RECEIVED
			•		CEN	TRAL FAX CEN
						I
			•	_		AN 3 1 200
			ntinue on page PATENT DOCUMEN	<b>T</b> C		
	Document	Publication	PATENT DOCUMEN	18		Translation
	Number	Date	Country	Class	Subclass	Yes   No
			<del></del>			
		<del> </del>		<del></del>	·····	
		<del>   </del> -				<del> </del>
		Cor	tinue on page			
SHS 1.	OTHER DOCUM	TENTS (Including	Anthor, Title, Journal	-Date, Page Numb	er, Etc.)	
Sno 1.	Cell Sci. Suppl. 1	6:123-127 (1992).	arpuonal activator protei	n DBP in circadian	inver gene e	xpression," J.
			<u>:</u>		····	· · · · · · · · · · · · · · · · · · ·
<del></del>	<del></del>		<del></del>			
<del></del>	<del></del>	<del></del>	:			<del></del>
AMINER _	1 1 241 1 1	Co Digitally sk	ntinue on page ped by Shulemith H. Shafar ulamith H. Shafar, c=US, o=USPTO, ou=AU 1647, er pto por 02 22 12:24:17-06:00*	DATE C	ONSIDERR	D
S	nulamith H.	Snater Maries	wammn +1. onamer, c=ug, d=ug+1U, du=nu 1647, en pto.gov	1 027	22/2007	-

Form PTC	-1449	U.S. Depar	tment of Commerce	ATTY DOCKET NO.	SERIAL 10/506.6			
IN	FORM	ATION DISC		APPLICANT	1100000			
	TATEM	ENT BY AP	PLICANT	Jodi Marie MAGLICH et al. FILING DATE September 3, 2004	GROUP 1847			
			U.S. PATE	NT DOCUMENTS				
Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing ( If Appro	
							<u>.                                    </u>	
	<del>                                     </del>			<u> </u>				
	<del>                                     </del>							
				<del>-</del>				
<del></del>								
			FOREIGN P	ATENT DOCUMENTS				
		Document Number	Date	Country	Class	Subclass	Tra Yes	netation No
							ļ	
								-
	ļ							
	ļ					<u> </u>		
	1	OTHER	OCIMENTS (Inchesion	Author, Title, Date, Pertin	ent Pages Ftc)			l
SHS	1	MAGLICH J.M ET A	•	AR is a regulator of thyroid from			c restrictio	n; J. BIOL.
<u> </u>	2	QATANANI M ET A		androstane receptor in xenobiot	tic-Induced thyrold	hormone m	etabolism	;
V	3	UEDA A ET AL; Dim PHARMACOL; 1 Ja	erse roles of the nuclear on nuary 2002; 61, no. 1; 1-6;	rphan receptor CAR in regulatir	ng hepatic genes in	response 1	o phenob	arbital; MOL
	<del> </del>						<del></del>	
Examiner	Signature	Shulamith H. Shafer	Digitally agreed by Shristmath H. Shafer Dir. cm/Shulamith H. Shafer, cm/IS, cm/ISF10, cm/A/I 1967, email-mulusmath.ahafer@puess.gov Detr. 2007.02.2 17:29:53.0500°	ate Considered	02/22/	2007	_	

Page 1 of 2

FORM PTO-1449 INFORMATION DISCLOSURE STATEMENT					ATTORNEY DOCKE  PU4591USW  APPLICANT  Jodi Marie MAGLICH et al.  FILING DATE  GROUP				
					Concurrent				
			U.S. 1	PATENT D	OCUMENTS				
Examiner Initials		Patent Number	Issue Date		Name	Class	Subclass	Filing Date If Appropriate	
				Continue on p	nage	<u>.</u>			
					DOCUMEN	TS			
		Document Number	Publication Date		Country	Class	Subclass	Translation Yes   No	
SHS	1.	WO 01/51045	07/19/2001	WIPO			<del>- </del>	X (Abstract)	
SHS	2.	.WO 02/25134	03/28/2002	WIPO				A (Abstract)	
				Continue on p					
	T .	OTHER DOCUM	MENTS (Includ	ing Author,	Title, Journa	-Date, Page Nu	mber, Etc.)	AP"	
	3.	Journal Biologic	erential transacti	vation by tw	23571 (Sep. 19	116 of phan fluctes	ii normone rec	cptor CAR,	
	4.	Moore et al "Or	nhan nuclear rec	entors const	itutive androsta	ne recentor and	pregnane X rec	entor share	
		x <del>enebietie sterei</del>	d ligands," Journ	al Dielogies	d Chemistry 27	5(30)-15132-15	127 (May 2000	).	
	5.	Sueyoshi et al ,"	The repressed nu	iclear recept	or CAR respon	ds to Phenobath	ital in activatin	<del>o the b</del> uman	
		CYP2R6 gene,"	<u> Iournal Riologic</u>	al Chamistr	374(10)·6043	-6046 (Mar 100	0)(0)		
	6.	Woi-st al., "The	nuclear receptor	GAR mediat	<u>9, 374(10)-6043</u> 100 opocifio non	shietie industies	o)	elism,"	
SHS	6. 7.	Wei-st al., "The Nature 407-920_ Barter et al., "UI extrathyroidal m	nuclear receptor 923 (Oct. 2000). DP-glucuronosyli echanism." <i>Toxia</i>	CAR mediateransferase in	nducers reduce	chietic induction thyroid hormone 36-42 (1992).	o) of drug metab e levels in rats l	by an	
SHS		Woi at al., "The Nature 407-920. Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote	Oct. 2000). DP-glucuronosylichanism," Toxicaroid hormone incin removal rate i	transferase in col. Appl. Phoreases plasm n transgenic	nducers reduce armacol. 113:: na cholesteryl mice," Metabo	chiefic industries thyroid hormone 36-42 (1992). ester transfer pro- clism 50(5):530-:	e levels in rats letein activity and the control of	by an	
SHS	7.	Woi at al., "The Nature 407-920. Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote Burchell et al.,"	DP-glucuronosylvechanism," Toxidroid hormone incin removal rate i	can median transferase in col. Appl. Ph creases plasm n transgenic cyltransferase	nducers reduce armacol. 113:: na cholesteryl mice," Metaboes," Pharmacol.	thyroid hormone 36-42 (1992). ester transfer pro- blism 50(5):530-5 7. Ther. 43(2):26	e levels in rats latein activity and 636 (May 2001 1-289 (1989).	by an	
SHS	7.	Woi at al., "The Nature 407-920.  Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote Burchell et al., " Diwan et al., "En dichloropyridylo	DP-glucuronasylventering in removal rate in UDP Glucuronasylventering in removal rate in remov	transferase in col. Appl. Phoreases plasm n transgenic syltransferase yroid and he ats at doses to	nducers reduce armacol. 113:: na cholesteryl mice," Metabores," Pharmacol. patocarcinoger that cause maxima c	thyroid hormone 36-42 (1992). ester transfer problem 50(5):530-1 7. Ther. 43(2):26 thesis by 1,4-bis[2]	tein activity and 1-289 (1989). 2-(3,5-1) CYP2B," Car	by an d plasma high- ). ccinogenesis	
SHS	7. 8. 9.	Woi at al., "The Nature 407-920.  Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote Burchell et al., "En dichloropyridylo 17(1):37-43 (Jan Feng et al., "Thy microarray" Ma	DP-glucuronosylvechanism," Toxic roid hormone in in removal rate i UDP Glucuronasylvenent of the axy) benzene in r. 1996).	can mediate transferase in col. Appl. Photocreases plasm n transgenic syltransferase yroid and he ats at doses to gulation of h	nducers reduce armacol. 113:: na cholesteryl mice," Metabotes," Pharmacote that cause maxime patic genes in (Jul. 2000).	thyroid hormone 36-42 (1992). ester transfer pro- olism 50(5):530- 7. Ther. 43(2):26 hesis by 1,4-bis[7] final induction of	tein activity and a second sec	by an d plasma high- ). cinogenesis	
SHS	7. 8. 9. 10.	Woi-st al., "The Nature 407-920.  Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote Burchell et al., "En dichloropyridylo 17(1):37-43 (Jan Feng et al., "Thy microarray," Mo Fields et al., "A (Jul. 1989).	DP-glucuronosylvechanism," Toxid roid hormone in in removal rate i UDP Glucuronashhancement of the in 1996).  Toid hormone in r. 1996).  Toid hormone red. Endocrinol. 14 novel genetic systems	cransferase in col. Appl. Phoreases plasm n transgenic syltransferase yroid and he ats at doses to gulation of he (7):947-955 stem to detect	nducers reduce armacol. 113:: na cholesteryl mice," Metabotes," Pharmacote patocarcinoger that cause maximepatic genes in (Jul. 2000).	thyroid hormone 36-42 (1992). ester transfer pro- olism 50(5):530- 7. Ther. 43(2):26 mesis by 1,4-bis[2 imal induction of	e levels in rats latein activity and tein activity activi	by an d plasma high- ). cinogenesis ry DNA 30):245-246	
SHS	7. 8. 9. 10.	Wei-st al., "The Nature 407-920.  Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote Burchell et al., "En dichloropyridylo 17(1):37-43 (Jan Feng et al., "Thy microarray," Mo Fields et al., "A (Jul. 1989).  Honkakoski et al Phenobarbital-re (Oct. 1998).	DP-glucuronosyle echanism," Toxio roid hormone in in removal rate is UDP Glucuronas shancement of the xy)]benzene in r. 1996).  Toid hormone real. Endocrinol. 14 novel genetic sysponsive enhances sponsive enhances and supposition of the control o	cransferase in col. Appl. Phoreases plasm transgenic syltransferase yroid and he ats at doses to gulation of he (7):947-955 stem to detect or phan recepter module of	nducers reduce narmacol. 113:: na cholesteryl mice," Metaboles," Pharmacol. patocarcinoger that cause maximum (Jul. 2000). et protein-prote	thyroid hormone 36-42 (1992). ester transfer problem 50(5):530-1. Ther. 43(2):26 mesis by 1,4-bis[2 imal induction of vivo detected by in interactions," and X receptor heme," Mol. Cell. In the state of the control of	tein activity and tein activity and to 1-289 (1989). 2-(3,5-f CYP2B," Car v complemental Nature 340(62: terodimer activities). 18(10):565	by an d plasma high- cinogenesis ry DNA 30):245-246 rates the 52-5658	
SHS	7. 8. 9. 10.	Wei-st al., "The Nature 407-920.  Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote Burchell et al., "En dichloropyridylo 17(1):37-43 (Jan Feng et al., "Thy microarray," Mo Fields et al., "A (Jul. 1989).  Honkakoski et al Phenobarbital-re (Oct. 1998).  Hulsmann et al., rat liver lipase."	DP-glucuronosyle echanism," Toxic roid hormone in the removal rate is UDP Glucuronasyle echanism," Toxic roid hormone in the removal rate is UDP Glucuronasyle echanism of the removal rate is upper toxic formone results. It is the removal genetic system of the removal genetic	cransferase in col. Appl. Phoreases plasm n transgenic syltransferase yroid and he ats at doses to gulation of h (7):947-955 etem to detect or phan recepter module of hyroidism, doss. Res. Com	nducers reduce narmacol. 113:: na cholesteryl mice," Metabotes," Pharmacol. patocarcinoger that cause maximum (Jul. 2000). It protein-prote tor CAR-retinof the CYP2B get liabetes and pomun. 79(3):784	thyroid hormone 36-42 (1992). ester transfer problem 50(5):530-1. Ther. 43(2):26 nesis by 1,4-bis[2] imal induction of a vivo detected by in interactions," bid X receptor heme," Mol. Cell. It lyunsaturated fat 4-788 (1977).	tein activity and tein activity activit	by an  d plasma high- ).  cinogenesis  ry DNA  30):245-246  rates the 52-5658  parin-releasable	
SHS	7. 8. 9. 10. 11. 12.	Wei-st al., "The Nature 407-920.  Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote Burchell et al., "En dichloropyridylo 17(1):37-43 (Jan Feng et al., "Thy microarray," Mo Fields et al., "A (Jul. 1989).  Honkakoski et al Phenobarbital-re (Oct. 1998).  Hulsmann et al., rat liver lipase," Iossa et al., "Fat Ingengational Investigation.	DP-glucuronosyle echanism," Toxic roid hormone in the removal rate is UDP Glucuronasyle echanism, and the removal rate is UDP Glucuronasyle echanism, and the removal rate is UDP Glucuronasyle en removal for the removal for the removal genetic systems. The nuclear composition of the removal genetic systems are removed to the removal genetic systems. The nuclear composition of the removal of the	can redistransferase in col. Appl. Phoreases plasm n transgenic syltransferase yroid and he ats at doses to gulation of high particular to detect the complete of the color phan recepter module of the color phan recepter the color ph	nducers reduce tarmacol. 113:: na cholesteryl mice," Metabolese," Pharmacole that cause maximized that cause maximized the CYP2B generated to TCAR-retinof the CYP2B generations in 125 (Feb. 2001).	thyroid hormone 36-42 (1992). ester transfer problem 50(5):530-1. Ther. 43(2):26 nesis by 1,4-bis[2] imal induction of a vivo detected by in interactions," bid X receptor he ene," Mol. Cell. It lyunsaturated fat 4-788 (1977). normal, hypothy	e levels in rats levels levels in rats levels l	by an  d plasma high- ).  cinogenesis  ry DNA  30):245-246  rates the 52-5658  parin-releasable thyroid rats,"	
SHS	7. 8. 9. 10. 11. 12.	Wei-st al., "The Nature 407-920.  Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote Burchell et al., "En dichloropyridylo 17(1):37-43 (Jan Feng et al., "Thy microarray," Mo Fields et al., "A (Jul. 1989).  Honkakoski et al Phenobarbital-re (Oct. 1998).  Hulsmann et al., rat liver lipase."	DP-glucuronosyle echanism," Toxio roid hormone in in removal rate is UDP Glucuronas shancement of the xy)]benzene in r. 1996). Toid hormone rel. Endocrinol. 14 movel genetic systems of the xy. "The nuclear of sponsive enhancement of the xy." The nuclear of sponsive enhancement of the xy. "The nuclear of sponsive enhancement of the xy." The nuclear of the xy. The nuclear of the xy. The nuclear of the xy.	can redistransferase in col. Appl. Phoreases plasm n transgenic syltransferase yroid and he ats at doses to gulation of high particular to detect the complete of the color phan recepter module of the color phan recepter the color ph	nducers reduce tarmacol. 113:: na cholesteryl mice," Metabolese," Pharmacole that cause maximized that cause maximized the CYP2B generated to TCAR-retinof the CYP2B generations in 125 (Feb. 2001).	thyroid hormone 36-42 (1992). ester transfer problem 50(5):530-1. Ther. 43(2):26 nesis by 1,4-bis[2] imal induction of a vivo detected by in interactions," bid X receptor he ene," Mol. Cell. It lyunsaturated fat 4-788 (1977). normal, hypothy	e levels in rats levels levels in rats levels l	by an  d plasma high- ).  cinogenesis  ry DNA  30):245-246  rates the 52-5658  parin-releasable thyroid rats,"	
SHS	7. 8. 9. 10. 11. 12. 13.	Wei-st al., "The Nature 407-920.  Barter et al., "UI extrathyroidal m Berti et al., "Thy density lipoprote Burchell et al., "En dichloropyridylo 17(1):37-43 (Jan Feng et al., "Thy microarray," Mo Fields et al., "A (Jul. 1989).  Honkakoski et al Phenobarbital-re (Oct. 1998).  Hulsmann et al., rat liver lipase," Iossa et al., "Fat Inernational Jou Keppler et al., "I	DP-glucuronosyle echanism," Toxio roid hormone in in removal rate is UDP Glucuronas shancement of the xy)]benzene in r. 1996).  Toid hormone in in removal rate is uDP Glucuronas shancement of the xy)]benzene in r. 1996).  Toid hormone real. Endocrinol. 14 movel genetic system. "The nuclear of sponsive enhance "Effect of hypotomic sponsive enhance and servent of Obesity. Hepatic secretion 65-272 (2000).	can redistransferase in col. Appl. Phoreases plasm n transgenic syltransferase yroid and he ats at doses to gulation of high particular to detect the complete of the color phan recepter module of the color phan recepter the color ph	mice," Metaboles," Pharmacol. 113:: na cholesteryl mice," Metaboles," Pharmacol. patocarcinoger that cause maximum (Jul. 2000). It protein-prote tor CAR-retinof the CYP2B generations in (25 (Feb. 2001). It protein-protein that cause and polymen. 79(3):784 generations in (25 (Feb. 2001).	thyroid hormone 36-42 (1992). ester transfer problem 50(5):530-1. Ther. 43(2):26 nesis by 1,4-bis[2] imal induction of a vivo detected by in interactions," bid X receptor heme," Mol. Cell. It lyunsaturated fat 4-788 (1977). normal, hypothy indogenous substitutions.	e levels in rats levels levels in rats levels l	by an  d plasma high- ).  cinogenesis  ry DNA  30):245-246  rates the 52-5658  parin-releasable thyroid rats,"  rs in Liver	

Page 2 of 2

FORM PTO-1449 INFORMATION DISCLOSURE STATEMENT					ATTORNEY D PU4591USw	OCKETO.	SERIAL NOT 06 6 4		
···		JISCEOSCILE ST	AIDMENT		APPLICANT Jodi Marie MA	CLICH et al	1.000		
		•		ł	FILING DATE		GROUP		
					Concurrently h		J GROOT	•	
			U.S. P	ATENT DO	CUMENTS	<u> </u>		<del></del>	
Examiner		Patent	Issue Date		Name	Class	Subclass	Filing Date If Appropriate	
Initials	<u> </u>	Number	ļ <u>.</u>					<del></del>	
	<u> </u>		ļ. <u></u>					<del> </del>	
	<b>├</b> ──			<b> </b>		<u> </u>	<del></del>	<del></del>	
	<del>                                     </del>			<del> </del>		<del> </del>			
	<del> </del>					<del> </del>		<del> </del>	
	<u> </u>	L	C	ontinue on p	age	1	·	,l	
	-	***************************************			DOCUMENTS				
		Document	Publication					Translation	
		Number	Date	C	ountry	Class	Subclass	Yes   No	
	<u> </u>					<del> </del>			
	<u> </u>	<u> </u>	<u> </u>	<u>l</u>		1	L	<u> </u>	
			Ci	ontinue on p	age	Name Name have	Eta) (Cont)	1	
		HER DOCUMEN	TS (Including A	utnor, little	JDP-glucuronosy	transferace in	lucers and the	ir ability to	
SHS	17.	Kolaja et al., "Do	ose-response exam	nination of C	ollicular cell apopt	neis " Toricol	Sci 46(1)·31	-37 (Nov. 1998).	
	18.	Levens et al. "Ci	r-p expression at	na triyrora re	inculai cen apopi	0313, 1021001.	1 10(1).51	7 1 1 1	
	1 10.	Lavery et al., "Circadian expression of the steroid 15 α-hydroxylase (Cyp2a4) and coumarin 7-hydrox (Cyp2a5) genes in mouse liver is regulated by the PAR leucine zipper transcription factor DBP," Mol.							
		(Cyn2as) genes i	n mouse liver is t	on of the ster regulated by	oid 15 α-hydroxy the PAR leucine:	lase ( <i>Cyp2a4</i> ) zipper transcri	and coumaring tion factor D	BP," <i>Mol. Cell</i>	
		(Cyp2a5) genes i	n mouse liver is r	regulated by	the PAR leucine	lase ( <i>Cyp2a4</i> ) zipper transcri	and coumaring ption factor D	BP," Mol. Cell	
	19.	(Cyp2a5) genes i Biol. 19(10):6488	n mouse liver is 1 8-6499 (Oct. 1999	regulated by 9).	the PAR leucine	zipper transcri	ption factor D	BP," Mol. Cell	
	19.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D	n mouse liver is r 8-6499 (Oct. 1999 Development of a binding domain.	regulated by 9). scintillation "Anal. Bioci	proximity assay f hem. 257(2):112-	zipper transcri or peroxisome I 19 (Mar. 1998	ption factor D proliferators- B).	BP," Mol. Cell	
	19.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D	n mouse liver is r 8-6499 (Oct. 1999 Development of a binding domain.	regulated by 9). scintillation "Anal. Bioci	proximity assay f hem. 257(2):112-	zipper transcri or peroxisome I 19 (Mar. 1998	ption factor D proliferators- B).	BP," Mol. Cell	
		(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D receptor y ligand Parks, "Bile acid (May 1999).	n mouse liver is n 8-6499 (Oct. 1999 Development of a binding domain,' s: natural ligands	regulated by 9). scintillation "Anal. Biocast for an orpha	proximity assay f hem. 257(2):112- an nuclear recepto	or peroxisome 119 (Mar. 1993) r," Science 28	prion factor D proliferators- B). 4(5418):1365-	activated -1368	
		(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D receptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., "	n mouse liver is n 8-6499 (Oct. 1999 Development of a binding domain,' s: natural ligands	regulated by 9). scintillation "Anal. Bioca for an orphase-mediated s	proximity assay f hem. 257(2):112- an nuclear recepto	or peroxisome 119 (Mar. 1998) r," Science 28	proliferators- B). 4(5418):1365- unsaturated tr	BP," Mol. Cell activated -1368 acylglycerols in	
	20.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D receptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., " serum LDL from	n mouse liver is n 8-6499 (Oct. 1999 Development of a binding domain,' s: natural ligands Lipoprotein lipas a normal and hypo	regulated by 9). scintillation "Anal. Bioco for an orpha se-mediated soothyroid rats	proximity assay f hem. 257(2):112- an nuclear recepto sequestration of lo "Biochim. Bioph	or peroxisome 119 (Mar. 1998) r," Science 28 ong-chain poly ys. Acta 796(1	proliferators-8). 4(5418):1365- unsaturated tr.):64-71 (Oct.	BP," Mol. Cell activated -1368 acylglycerols in 1984).	
	20.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D receptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., " serum LDL from Ridgway et al"	n mouse liver is n 8-6499 (Oct. 1999) Development of a binding domain,' s: natural ligands Lipoprotein lipas normal and hypo Serum activity an	regulated by 9). scintillation "Anal. Biocal for an orpha se-mediated softhyroid rats, and hepatic se	proximity assay fame. 257(2):112- an nuclear receptor sequestration of log." Biochim. Biophocretion of lecithin	or peroxisome 119 (Mar. 1998 r," Science 28 ong-chain poly ys. Acta 796(1 c) cholesterol a	proliferators-83). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase	BP," Mol. Cell activated -1368 acylglycerols in 1984).	
	20. 21. 22.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D receptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., " serum LDL from Ridgway et al., "	n mouse liver is n 8-6499 (Oct. 1999 Development of a binding domain,' s: natural ligands Lipoprotein lipas a normal and hypo Serum activity an	regulated by 9). scintillation "Anal. Biocome for an orpha se-mediated softyroid rats and hepatic se erolemia." J.	proximity assay fame. 257(2):112- an nuclear receptor sequestration of log." Biochim. Bioph cretion of lecithin Lipid Res. 26(11)	or peroxisome 119 (Mar. 1998) r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ):1300-1313 (1	proliferators-83). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985).	activated -1368 -iacylglycerols in 1984)in experimental	
	20.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D receptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., " serum LDL from Ridgway et al., " hypothyroidism a Scarabottolo et a	n mouse liver is n 8-6499 (Oct. 1999) Development of a binding domain,' s: natural ligands Lipoprotein lipas a normal and hypo Serum activity and and hypercholested., "Experimental	regulated by 9). scintillation "Anal. Biocal for an orpha se-mediated sothyroid rats and hepatic se erolemia," J. hypothyroic	proximity assay fame. 257(2):112- an nuclear receptor requestration of log. Biochim. Bioph cretion of lecithin Lipid Res. 26(11) dism modulates the	or peroxisome 119 (Mar. 1998) r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ):1300-1313 (1	proliferators-83). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985).	activated -1368 -iacylglycerols in 1984)in experimental	
	20. 21. 22. 23.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D receptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., " serum LDL from Ridgway et al., " hypothyroidism a Scarabottolo et a	n mouse liver is n 8-6499 (Oct. 1999) Development of a binding domain,' s: natural ligands Lipoprotein lipas a normal and hypo Serum activity an and hypercholeste l., "Experimental liver." Atheroscler	regulated by 9). scintillation "Anal. Biocolor for an orpha se-mediated sothyroid rats and hepatic se erolemia," J. hypothyroic rosis 59(3):3	proximity assay fame. 257(2):112-in nuclear receptors requestration of log." Biochim. Bioph cretion of lecithin Lipid Res. 26(11) dism modulates the 29-333 (1986).	or peroxisome 119 (Mar. 1998) r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ):1300-1313 (1 e expression o	proliferators-83). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dense	activated -1368 -1368 -1368 -1369 -1	
	20. 21. 22. 23.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "D receptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., " serum LDL from Ridgway et al., " hypothyroidism a Scarabottolo et a receptor by the li	n mouse liver is n 8-6499 (Oct. 1999) Development of a binding domain,' s: natural ligands Lipoprotein lipas a normal and hypo Serum activity an and hypercholeste I., "Experimental iver," Atheroscler "Obesity and th	regulated by 9). scintillation "Anal. Biocal for an orpha se-mediated sothyroid rats, and hepatic se erolemia," J. hypothyroic rosis 59(3):3 ne regulation	proximity assay fame. 257(2):112- an nuclear receptor rec	or peroxisome 119 (Mar. 1993) r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ::1300-1313 (1 :e expression o	proliferators-83). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens	BP," Mol. Cell activated -1368	
	20. 21. 22. 23.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "Dreceptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., "serum LDL from Ridgway et al.," hypothyroidism a receptor by the li Spiegelman et al. "	n mouse liver is not seen as the second of a binding domain, so the second of a binding domain of a binding domain of a binding of a b	regulated by 9). scintillation "Anal. Biocal for an orpha se-mediated sothyroid rats, and hepatic se erolemia," J. hypothyroic rosis 59(3):3 ne regulation al response e	proximity assay fame. 257(2):112- an nuclear receptor sequestration of local process of loc	or peroxisome 119 (Mar. 1993) r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ::1300-1313 (1 e expression o e," Cell 104(4) in the human b	proliferators-83). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Felilirubin UDP-	BP," Mol. Cell activated -1368 -1368 -1369	
	20. 21. 22. 23.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "Ereceptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., "serum LDL from Ridgway et al., "hypothyroidism areceptor by the lisspiegelman et al. Sugatani et al., "glucuronosyltran 33(5):1232-1238	n mouse liver is na 18-6499 (Oct. 1995) Development of a binding domain, so natural ligands. Lipoprotein lipas a normal and hyposerum activity and and hypercholeste and the The Phenobarbita isferase UGTIAI (2001)	regulated by 9). scintillation "Anal. Bioca for an orphase-mediated sothyroid rats and hepatic seerolemia," J. hypothyroid rosis 59(3):3 he regulation al response e gene and regulation seerolemia.	proximity assay fam. 257(2):112- an nuclear receptor sequestration of log." Biochim. Bioph cretion of lecithin Lipid Res. 26(11):415-416.  of energy balance inhancer module in gulation by the nuclear season.	or peroxisome 119 (Mar. 1999; r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a 0:1300-1313 (1 e expression o e," Cell 104(4) in the human bi clear receptor	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fel ilirubin UDP- CAR," Hepat	activated -1368 -1368 -1368 -1368 -1984)in experimental sity lipoprotein	
	20. 21. 22. 23.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "Dreceptor y ligand Parks, "Bile acid (May 1999).  Ridgway et al., "serum LDL from Ridgway et al.," hypothyroidism a receptor by the li Spiegelman et al Sugatani et al., "glucuronosyltran 33(5):1232-1238	n mouse liver is not seen and hypercholeste in mouse liver is not seen and hypercholeste in "Experimental iver," Atheroscler in "Obesity and the Phenobarbita is ferase UGTIAI al., "Relations be al., "Relations be al., "Relations be	regulated by 9). scintillation "Anal. Biocal for an orpha se-mediated sothyroid rats and hepatic se erolemia," J. I hypothyroic rosis 59(3):3 ne regulation al response e gene and regulation etween thyroid	proximity assay fame. 257(2):112- an nuclear receptor rec	or peroxisome 119 (Mar. 1999) r," Science 28 ong-chain poly ys. Acta 796(1 c): cholesterol a 0:1300-1313 (1 e expression o e," Cell 104(4) in the human biclear receptor tic and lipopro	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fel ilirubin UDP- CAR," Hepat	activated -1368 -1368 -1368 -1368 -1984)in experimental sity lipoprotein	
	20. 21. 22. 23. 24. 25.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "Ereceptor y ligand Parks, "Bile acid (May 1999). Ridgway et al., "serum LDL from Ridgway et al., "hypothyroidism a Scarabottolo et a receptor by the li Spiegelman et al. Sugatani et al., "glucuronosyltran 33(5):1232-1238 Valdemarsson et plasma lipoprote	n mouse liver is na 18-6499 (Oct. 1995) Development of a binding domain, is: natural ligands Lipoprotein lipas a normal and hyposerum activity and and hypercholeste l., "Experimental liver," Atheroscler., "Obesity and the The Phenobarbita is (2001) al., "Relations be in concentrations	regulated by 9). scintillation "Anal. Bioca for an orpha se-mediated sothyroid rats and hepatic seerolemia," J. hypothyroid rosis 59(3):3 he regulation al response e gene and regulation s," Acta Endo	proximity assay fam. 257(2):112- an nuclear receptor sequestration of log." Biochim. Bioph cretion of lecithin Lipid Res. 26(11):150-151.  Jeff Marchine Bioph cretion of lecithin modulates the 129-333 (1986).  Jeff energy balance module in gulation by the number of function, hepatocrinol. 104(1):50	or peroxisome 119 (Mar. 1999; r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a 0:1300-1313 (1 e expression o e," Cell 104(4) in the human bi clear receptor tic and lipopro -56 (1983)	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fel ilirubin UDP- CAR," Hepat tein lipase act	activated -1368 -1368 -1368 -1368 -1368 -1984)1984)10 experimental sity lipoprotein -10 cology -10 colog	
	20. 21. 22. 23. 24. 25.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "Dreceptor y ligand Parks, "Bile acid (May 1999).  Ridgway et al., "serum LDL from Ridgway et al.," hypothyroidism a receptor by the lisspiegelman et al. Sugatani et al., "glucuronosyltran 33(5):1232-1238 Valdemarsson et plasma lipoprote Xie et al., "Reciptor Biol. "Reciptor by the lissma lipoprote Xie et al., "Reciptor by the lissma lip	n mouse liver is no 8-6499 (Oct. 1999) Development of a binding domain, is: natural ligands Lipoprotein lipase a normal and hyporometric lipase and hypercholeste lipase and hypercholeste lipase iver, "Atheroscler., "Obesity and the The Phenobarbita seferase UGTIAI (2001) al., "Relations be in concentrations orocal activation of the seferase unit of the seferase un	scintillation "Anal. Biocal for an orpha se-mediated sothyroid rats and hepatic se erolemia," J. I hypothyroid response e gene and reg etween thyro of Xenobioti	proximity assay fame. 257(2):112- an nuclear receptor rec	or peroxisome 119 (Mar. 1999; r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a 0:1300-1313 (1 e expression o e," Cell 104(4) in the human bi clear receptor tic and lipopro -56 (1983)	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fel ilirubin UDP- CAR," Hepat tein lipase act	activated -1368 -1368 -1368 -1368 -1368 -1984)1984)10 experimental sity lipoprotein -10 cology -10 colog	
	20. 21. 22. 23. 24. 25. 26.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "Dreceptor y ligand Parks, "Bile acid (May 1999).  Ridgway et al., "serum LDL from Ridgway et al.," hypothyroidism a Scarabottolo et a receptor by the li Spiegelman et al., "glucuronosyltran 33(5):1232-1238 Valdemarsson et plasma lipoprote Xie et al., "Recig Genes Dev. 14(2	n mouse liver is na 18-6499 (Oct. 1995) Development of a binding domain, is: natural ligands a normal and hyposerum activity and and hypercholeste and hyper	regulated by 9). scintillation "Anal. Bioca for an orpha se-mediated sothyroid rats and hepatic se erolemia," J. hypothyroid rosis 59(3):3 he regulation al response e gene and regulation of Xenobioti ec. 2000).	proximity assay fam. 257(2):112- an nuclear receptor rece	or peroxisome 119 (Mar. 1999; r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ):1300-1313 (1 e expression o e," Cell 104(4) in the human bi clear receptor tic and lipopro -56 (1983) by nuclear rece	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fel ilirubin UDP- CAR," Hepate tein lipase act	activated -1368 -1368 -1368 -1368 -1368 -1368 -1368 -1984)10 experimental sity lipoprotein -10 experimental sity lipoprotein -11 experimental sity lipoprotein -12 experimental sity lipoprotein -13 experimental sity lipoprotein -14 experimental sity lipoprotein -15 experimental sity lipoprotein sity lipoprote	
	20. 21. 22. 23. 24. 25.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "Dreceptor y ligand Parks, "Bile acid (May 1999).  Ridgway et al., "serum LDL from Ridgway et al., "hypothyroidism a receptor by the lissugatani et al., "glucuronosyltran 33(5):1232-1238 Valdemarsson et plasma lipoprote Xie et al., "Recip Genes Dev. 14(2 Yen, "Physiolog	n mouse liver is na 18-6499 (Oct. 1995) Development of a binding domain, is: natural ligands a normal and hyposerum activity and and hypercholeste and hyper	regulated by 9). scintillation "Anal. Bioca for an orpha se-mediated sothyroid rats and hepatic se erolemia," J. hypothyroid rosis 59(3):3 he regulation al response e gene and regulation of Xenobioti ec. 2000).	proximity assay fam. 257(2):112- an nuclear receptor sequestration of log." Biochim. Bioph cretion of lecithin Lipid Res. 26(11):150-151.  Jeff Marchine Bioph cretion of lecithin modulates the 129-333 (1986).  Jeff energy balance module in gulation by the number of function, hepatocrinol. 104(1):50	or peroxisome 119 (Mar. 1999; r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ):1300-1313 (1 e expression o e," Cell 104(4) in the human bi clear receptor tic and lipopro -56 (1983) by nuclear rece	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fel ilirubin UDP- CAR," Hepate tein lipase act	activated -1368 -1368 -1368 -1368 -1368 -1368 -1368 -1984)10 experimental sity lipoprotein -10 experimental sity lipoprotein -11 experimental sity lipoprotein -12 experimental sity lipoprotein -13 experimental sity lipoprotein -14 experimental sity lipoprotein -15 experimental sity lipoprotein sity lipoprote	
	20. 21. 22. 23. 24. 25. 26. 27.	(Cyp2a5) genes i Biol. 19(10):6488 Nichols et al., "Dreceptor y ligand Parks, "Bile acid (May 1999).  Ridgway et al., "serum LDL from Ridgway et al.," hypothyroidism a Scarabottolo et a receptor by the li Spiegelman et al. Sugatani et al., glucuronosyltran 33(5):1232-1238 Valdemarsson et plasma lipoprote Xie et al., "Recip Genes Dev. 14(2 Yen, "Physiolog (Jul. 2001).	n mouse liver is not a seed to be	regulated by 9). scintillation "Anal. Bioca for an orpha se-mediated s othyroid rats and hepatic se erolemia," J. I hypothyroid rosis 59(3):3 he regulation al response e gene and regulation of Xenobioti ec. 2000). ar basis of the	proximity assay fam. 257(2):112- an nuclear receptor sequestration of log." Biochim. Bioph cretion of lecithin Lipid Res. 26(11) dism modulates the 29-333 (1986). Of energy balance module in gulation by the number of function, hepatocrinol. 104(1):50 or response genes by roid hormone according to the second s	or peroxisome 119 (Mar. 1999; r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a 0:1300-1313 (1 e expression of e," Cell 104(4) in the human biclear receptor tic and lipopro -56 (1983) by nuclear reception," P.M. Ph	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fet illirubin UDP- CAR," Hepate tein lipase act eptors SXR/P. ysiol. Rev. 810	BP," Mol. Cell activated -1368 -1368 -1368 -1368 -1368 -1984)10 experimental sity lipoprotein -10 experimental -10 experim	
	20. 21. 22. 23. 24. 25. 26.	(Cyp2a5) genes i Biol. 19(10):6481 Nichols et al., "Dreceptor γ ligand Parks, "Bile acid (May 1999). Ridgway et al., "serum LDL from Ridgway et al.," hypothyroidism a Scarabottolo et a receptor by the li Spiegelman et al., "glucuronosyltran 33(5):1232-1238 Valdemarsson et plasma lipoprote Xie et al., "Recip Genes Dev. 14(2 Yen, "Physiolog (Jul. 2001). Zelko et al., "Phe	n mouse liver is not a mouse liver is not a mouse liver is not a binding domain, is: natural ligands. Lipoprotein lipas a normal and hypometric mouse in contract and hypercholester. The Phenobarbitation of the phenobarbita	regulated by 9). scintillation "Anal. Bioca for an orpha se-mediated s othyroid rats and hepatic se erolemia," J. I hypothyroid rosis 59(3):3 he regulation al response e gene and regulation of Xenobioti ec. 2000). ar basis of the	proximity assay fam. 257(2):112- an nuclear receptor sequestration of log." Biochim. Bioph cretion of lecithin Lipid Res. 26(11) dism modulates the 29-333 (1986).  of energy balance module in gulation by the nuclear receptor of response genes by roid hormone acts of nuclear recept	or peroxisome 119 (Mar. 1999; r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ):1300-1313 (1 e expression of e," Cell 104(4) in the human biclear receptor tic and lipopro -56 (1983) by nuclear receptor ticon," P.M. Ph or CAR in ind	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fet illirubin UDP- CAR," Hepate tein lipase act eptors SXR/P. ysiol. Rev. 810	BP," Mol. Cell activated -1368 -1368 -1368 -1368 -1368 -1984)10 experimental sity lipoprotein -10 experimental -10 experim	
	20. 21. 22. 23. 24. 25. 26. 27.	(Cyp2a5) genes i Biol. 19(10):6481 Nichols et al., "Dreceptor γ ligand Parks, "Bile acid (May 1999). Ridgway et al., "serum LDL from Ridgway et al.," hypothyroidism a Scarabottolo et a receptor by the li Spiegelman et al., "glucuronosyltran 33(5):1232-1238 Valdemarsson et plasma lipoprote Xie et al., "Recip Genes Dev. 14(2 Yen, "Physiolog (Jul. 2001). Zelko et al., "Phe	n mouse liver is no 8-6499 (Oct. 1995) Development of a binding domain, is: natural ligands Lipoprotein lipas a normal and hyposerum activity and and hypercholeste l., "Experimental liver," Atheroscler., "Obesity and the The Phenobarbita seferase UGTIAI (2001) al., "Relations be in concentrations or ocal activation (3):3014-3023 (Deich and moleculate and moleculat	regulated by 9). scintillation "Anal. Bioca for an orpha se-mediated so othyroid rats and hepatic seerolemia," J. hypothyroid rosis 59(3):3 he regulation at response e gene and regulation of Xenobioti ec. 2000). The area of the control of the con	proximity assay fam. 257(2):112-an nuclear receptor recep	or peroxisome 119 (Mar. 1999; r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ):1300-1313 (1 e expression of e," Cell 104(4) in the human biclear receptor tic and lipopro -56 (1983) by nuclear receptor ticon," P.M. Ph or CAR in ind	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fet illirubin UDP- CAR," Hepate tein lipase act eptors SXR/P. ysiol. Rev. 810	activated -1368 -1368 -1368 -1368 -1368 -1368 -1368 -1984)1084 -1084	
XAMINE	20. 21. 22. 23. 24. 25. 26. 27. 28.	(Cyp2a5) genes i Biol. 19(10):6481 Nichols et al., "Dreceptor γ ligand Parks, "Bile acid (May 1999). Ridgway et al., "serum LDL from Ridgway et al.," hypothyroidism a Scarabottolo et a receptor by the li Spiegelman et al., "glucuronosyltran 33(5):1232-1238 Valdemarsson et plasma lipoprote Xie et al., "Recip Genes Dev. 14(2 Yen, "Physiolog (Jul. 2001). Zelko et al., "Phe	n mouse liver is no 8-6499 (Oct. 1995) Development of a binding domain, is: natural ligands Lipoprotein lipas a normal and hyposerum activity and and hypercholeste l., "Experimental liver," Atheroscler., "Obesity and the The Phenobarbital seferase UGTIAI (2001) al., "Relations be in concentrations or ocal activation of 3):3014-3023 (Deich and moleculate licens and lipas and moleculate licens and lipas and moleculate licens and lipas and lipas and moleculate licens and lipas and lip	regulated by 9). scintillation "Anal. Bioca for an orphasise-mediated sothyroid rats, and hepatic seerolemia," J. I hypothyroid rats for seerolemia, "J. I hypothyroid rats for seerolemia," J. I hypothyroid rats for seerolemia, "J. I hypothyroid response egene and requestion at response egene and requestion for Xenobiotics. 2000). The seerolemia for the seerolemia for Xenobiotics. 2000). The seerolemia for the seerolemia for Xenobiotics. 2000. The seerolemia for Xenobiotics. 2000. The seerolemia for the	proximity assay fam. 257(2):112-an nuclear receptor recep	or peroxisome 119 (Mar. 1999; r," Science 28 ong-chain poly ys. Acta 796(1 :: cholesterol a ): 1300-1313 (1 e expression of e," Cell 104(4) in the human biclear receptor cic and lipopro -56 (1983) by nuclear receptor tion," P.M. Physical Procession of the control of the contr	proliferators-8). 4(5418):1365- unsaturated tr. ):64-71 (Oct. cyltransferase Nov. 1985). f the low dens 0:531-543 (Fet illirubin UDP- CAR," Hepate tein lipase act eptors SXR/P. ysiol. Rev. 810	BP," Mol. Cell activated -1368 iacylglycerols in 1984). in experimental sity lipoprotein b. 2001). cology ivities, and XR and CAR," (3):1097-1142 chrome P450	

citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.